



ODF DATASHEET

(From 12 Cores- 144 Cores)

Item	Parameter
Type	Rack Mounted Modular ODF
Adapter Port	SC/ LC/FC/ST
Fiber Cores	6/12/24/48/96/144 (LC Max 288)
Mode	SM/OM1/OM2/OM3/OM4/OM5
Dimension	19`` 1U/2U/3U/4U
Material	Cold Rolled Steel or Aluminum
Storage Temperature	-45-+65 °C
Thickness	1.0, 1.2 , 1.5mm

Features:


1. Standard size, light weight and reasonable structure.
2. Splice tray inside changeable.
3. Can be used in 19', 23' standard distribution frame.
4. Suitable for ribbon and single fiber.
5. Various panel plate to fit different adapter interface.
6. Front mark on the plate is easy for identification and operation.
7. 12C ,24C, 36C, 48C, 72C,96C,144C optional, with or without fiber optic pigtails and adapters.
8. Easy for management and operation.

Application:

- 1) Telecommunications subscriber loop
- 2) Fiber to the home (FTTH)
- 3) LAN/WAN
- 4) CATV



Size Information



Model	Use	Name	Quantity	Picture
12Core	Size	W1(W2)*H*D		
		482(430)*44.5*300mm		
FL-ODF-01	Parts	12-core Integral module	1 unit	
		Cable clamp	2 pair	
		Cable strength member clamp	2 pcs	
	Accessories	Simplex heat shrinkable tube	12 pcs	
		cable tie	8 pcs	
		Screw and nut	4 sets	
	Packaging	485*355*70mm Inner carton box	1PCS/ Inner carton box	
		505*375*500mm Master carton box	6PCS/ Master carton box	



SHENZHEN FASTLINK COMMUNICATION GROUP CO., LTD

Model	Use	Name	Quantity	Picture
24Core	Size	W1(W2)*H*D		
		482(430)*71*300mm		
FL-ODF-02	Parts	12-core Integral module	2 unit	
		Cable clamp	2 pair	
		Cable strength member clamp	2 pcs	
Accessories	Simplex heat shrinkable tube	24 pcs		
	cable tie	8 pcs		
	Screw and nut	4 sets		
Packaging	485*355*95mm Inner carton box	1PCS/ Inner carton box		
	505*375*440mm Master carton box	4PCS/ Master carton box		

Model	Use	Name	Quantity	Picture
36Core	Size	W1(W2)*H*D		
		482(430)*97*300mm		
Parts	12-core Integral module	3 unit		
	Cable clamp	4 pair		
	Cable strength member clamp	4 pcs		
Accessories	Simplex heat shrinkable tube	36 pcs		
	cable tie	8 pcs		
	Screw and nut	4 sets		
Packaging	485*355*120mm Inner carton box	1PCS/ Inner carton box		
	505*375*540mm Master carton box	4PCS/ Master carton box		

Model	Use	Name	Quantity	Picture
48Core	Size	W1(W2)*H*D		
		482(430)*123*300mm		
Parts	12-core Integral module	4 unit		
	Cable clamp	4 pair		
	Cable strength member clamp	4 pcs		
Accessories	Simplex heat shrinkable tube	48 pcs		
	cable tie	8 pcs		
	Screw and nut	4 sets		
Packaging	485*355*150mm Inner carton box	1PCS/ Inner carton box		
	505*375*500mm Master carton box	3PCS/ Master carton box		



Model	Use	Name	Quantity	Picture
72Core	Size	W1(W2)*H*D		
		482(430)*175*300mm		
FL-ODF-05	Parts	12-core Integral module	6 unit	
		Cable clamp	6 pair	
		Cable strength member clamp	6 pcs	
	Accessories	Simplex heat shrinkable tube	72 pcs	
		cable tie	8 pcs	
		Screw and nut	4 sets	
	Packaging	485*355*200mm Inner carton box	1PCS/ Inner carton box	
		505*375*440mm Master carton box	3PCS/ Master carton box	

Model	Use	Name	Quantity	Picture
96Core	Size	W1(W2)*H*D		
		482(430)*228*300mm		
FL-ODF-06	Parts	12-core Integral module	8 unit	
		Cable clamp	6 pair	
		Cable strength member clamp	6 pcs	
	Accessories	Simplex heat shrinkable tube	96 pcs	
		cable tie	8 pcs	
		Screw and nut	4 sets	
	Packaging	485*355*255mm Inner carton box	1PCS/ Inner carton box	
		505*375*540mm Master carton box	2PCS/ Master carton box	

Model	Use	Name	Quantity	Picture
144Core	Size	W1(W2)*H*D		
		482(430)*332*300mm		
Parts	12-core Integral module	12 unit		
	Cable clamp	6 pair		
	Cable strength member clamp	6 pcs		
Accessories	Simplex heat shrinkable tube	144 pcs		
	cable tie	8 pcs		
	Screw and nut	4 sets		
Packaging	485*355*360mm Inner carton box	1PCS/ Inner carton box		
	505*375*380mm Master carton box	1PCS/ Master carton box		



SHENZHEN FASTLINK COMMUNICATION GROUP CO., LTD

ODF Pictures (From 12 Cores-144 Cores)

12 core




24 core




36 core



72 core



96 core



144 core

